



# Cyclone Quilt



This simple block is made from three fabrics with one center square and four Flying Geese Patches.

Use any method to make (48) 3" x 6" finished size Flying Geese Patches. To make your piecing easy and accurate, we recommend the Quilt in a Day method using our new Flying Geese Ruler. You can find the Flying Geese instructions in *Pioneer Sampler*, *Stars Across America*, and *Bears in the Woods* by Eleanor Burns.



## Borders and Finishing

### Lattice

 1/3 yard  
Cut (5) 2" strips into  
(17) 2" x size of block

### Cornerstones

 1/8 yard  
Cut (1) 2" strip into  
(10) 2" squares

### First Border

 1/3 yard  
Cut (4) 2" strips

### Optional Folded Border

 1/4 yard  
Cut (5) 1 1/4" strips

### Second Border

 2/3 yard  
Cut (5) 4" strips

### Binding

 1/2 yard  
Cut (5) 3" strips

### Batting

 45" x 54"

### Backing

 45" x 54"

## Blocks - Quilt in Day's Flying Geese Method

 1 yard  
Cut (3) 9" strips into  
(12) 9" squares

### Geese Fabric

 Planned Geese  
7/8 yard  
Cut (3) 7 1/2" strips into  
(12) 7 1/2" squares

### Scrap Geese

Cut (12) different 7 1/2" squares

### Center Square

 Planned  
1/4 yard  
Cut (2) 3 1/2" strips into  
(12) 3 1/2" squares

### Scrap

Cut (12) different 3 1/2" squares



*Quilts designed and made by Sue Bouchard  
Finished Size 41" x 51 1/2"*


# Making the Cyclone Block

## Sewing the Flying Geese Patches


Refer to the instructions included with the Quilt in a Day Geese Ruler. You need to complete 12 sets of squares to yield 48 Flying Geese Patches.

## Completing the Cyclone Block


1. Lay out all the patches required to complete the block. The numbers relate to the sewing order of the geese patches.




2. Place the #1 Geese Patch beside the center square so the bottom edges line up. Flip right sides together. Start at the last quarter of the Geese patch and sew towards the bottom edge. Finger press seams away from the center square.




3. Line up the #2 Geese Patch along the right edge. Flip right sides together. Assembly-line sew with right sides together. Press seam allowances away from center square.




4. Line up the #3 Geese Patch along the right edge. Flip right sides together, and assembly-line sew. Press seam allowances away from center square.



5. Line up the #4 Geese Patch along the right edge. Flip right sides together, sew and press seam allowances away from center square.




6. Finish sewing the remaining seam between the #1 Flying Geese Patch and the #4 Flying Geese Patch. Press seam allowances away from #1 Geese Patch.




# Completing the Cyclone Quilt

1. Lay out the blocks, lattice and cornerstones. Sew the rows together. Press seam allowances toward the lattice.



2. Add the cornerstones and borders. Press seam allowances away from the blocks.




First & Second Border

3. Quilt and bind as desired. For more detailed information on quilting and finishing your quilt, please refer to *Quilt in a Day's Machine Quilting Primer* by Cynthia Martin.

Order your Flying Geese Ruler today!

#2006  
\$11.<sup>95</sup>



Quilt in a Day® 1955 Diamond St. San Marcos, CA 92069



*Scrap Cyclone by Sue Bouchard*

**Quilt in a Day®**  
1955 Diamond Street, San Marcos, CA 92078  
www.quilt-in-a-day.com  
FAX: 760 591-4424 Orders 800 777-4852  
Call Monday thru Friday 9-4 Pacific Time.  
Call for a free catalog.